

Sample: \_\_\_\_\_

Sample Concentration: \_\_\_\_\_

Sample Buffer: \_\_\_\_\_

Date: \_\_\_\_\_

Reservoir Volume: \_\_\_\_\_

Temperature: \_\_\_\_\_

Drop Volume: Total \_\_\_\_\_  $\mu$ lSample \_\_\_\_\_  $\mu$ l Reservoir \_\_\_\_\_  $\mu$ l Additive \_\_\_\_\_  $\mu$ l

1 Clear Drop

5 Posettes or Spherulites

2 Phase Separation

6 Needles (1D Growth)

3 Regular Granular Precipitate

7 Plates (2D Growth)

4 Birefringent Precipitate or

8 Single Crystals (3D Growth &lt; 0.2 mm)

Microcrystals

9 Single Crystals (3D Growth &gt; 0.2 mm)

## Crystal Screen Cryo™ - HR2-122 Scoring Sheet

1. 0.02 M Calcium chloride dihydrate, 0.1 M Sodium acetate trihydrate pH 4.6, 30% v/v (+/-)-2-Methyl-2,4-pentanediol
2. 0.26 M Potassium sodium tartrate tetrahydrate, 35% v/v Glycerol
3. 0.26 M Ammonium phosphate monobasic, 35% v/v Glycerol
4. 0.075 M TRIS hydrochloride pH 8.5, 1.5 M Ammonium sulfate, 25% v/v Glycerol
5. 0.2 M Sodium citrate tribasic dihydrate, 0.1 M HEPES sodium pH 7.5, 30% v/v (+/-)-2-Methyl-2,4-pentanediol
6. 0.16 M Magnesium chloride hexahydrate, 0.08 M TRIS hydrochloride pH 8.5, 24% w/v Polyethylene glycol 4,000, 20% v/v Glycerol
7. 0.07 M Sodium cacodylate trihydrate pH 6.5, 0.98 M Sodium acetate trihydrate, 30% v/v Glycerol
8. 0.14 M Sodium citrate tribasic dihydrate, 0.07 M Sodium cacodylate trihydrate pH 6.5, 21% v/v 2-Propanol, 30% v/v Glycerol
9. 0.17 M Ammonium acetate, 0.085 M Sodium citrate tribasic dihydrate pH 5.6, 25.5% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
10. 0.17 M Ammonium acetate, 0.085 M Sodium acetate trihydrate pH 4.6, 25.5% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
11. 0.07 M Sodium citrate tribasic dihydrate pH 5.6, 0.7 M Ammonium phosphate monobasic, 30% v/v Glycerol
12. 0.18 M Magnesium chloride hexahydrate, 0.09 M HEPES sodium pH 7.5, 27% v/v 2-Propanol, 10% v/v Glycerol
13. 0.2 M Sodium citrate tribasic dihydrate, 0.1 M TRIS hydrochloride pH 8.5, 30% v/v Polyethylene glycol 400
14. 0.19 M Calcium chloride dihydrate, 0.095 M HEPES sodium pH 7.5, 26.6% v/v Polyethylene glycol 400, 5% v/v Glycerol
15. 0.17 M Ammonium sulfate, 0.085 M Sodium cacodylate trihydrate pH 6.5, 25.5% w/v Polyethylene glycol 8,000, 15% v/v Glycerol
16. 0.075 M HEPES sodium pH 7.5, 1.125 M Lithium sulfate monohydrate, 25% v/v Glycerol
17. 0.17 M Lithium sulfate monohydrate, 0.085 M TRIS hydrochloride pH 8.5, 25.5% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
18. 0.16 M Magnesium acetate tetrahydrate, 0.08 M Sodium cacodylate trihydrate pH 6.5, 16% w/v Polyethylene glycol 8,000, 20% v/v Glycerol
19. 0.16 M Ammonium acetate, 0.08 M TRIS hydrochloride pH 8.5, 24% v/v 2-Propanol, 20% v/v Glycerol
20. 0.16 M Ammonium sulfate, 0.08 M Sodium acetate trihydrate pH 4.6, 20% w/v Polyethylene glycol 4,000, 20% v/v Glycerol
21. 0.2 M Magnesium acetate tetrahydrate, 0.1 M Sodium cacodylate trihydrate pH 6.5, 30% v/v (+/-)-2-Methyl-2,4-pentanediol
22. 0.17 M Sodium acetate trihydrate, 0.085 M TRIS hydrochloride pH 8.5, 25.5% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
23. 0.2 M Magnesium chloride hexahydrate, 0.1 M HEPES sodium pH 7.5, 30% v/v Polyethylene glycol 400
24. 0.14 M Calcium chloride dihydrate, 0.07 M Sodium acetate trihydrate pH 4.6, 14% v/v 2-Propanol, 30% v/v Glycerol
25. 0.07 M Imidazole pH 6.5, 0.7 M Sodium acetate trihydrate, 30% v/v Glycerol
26. 0.2 M Ammonium acetate, 0.1 M Sodium citrate tribasic dihydrate pH 5.6, 30% v/v (+/-)-2-Methyl-2,4-pentanediol
27. 0.14 M Sodium citrate tribasic dihydrate, 0.07 M HEPES sodium pH 7.5, 14% v/v 2-Propanol, 30% v/v Glycerol
28. 0.17 M Sodium acetate trihydrate, 0.085 M Sodium cacodylate trihydrate pH 6.5, 25.5% w/v Polyethylene glycol 8,000, 15% v/v Glycerol
29. 0.065 M HEPES sodium pH 7.5, 0.52 M Potassium sodium tartrate tetrahydrate, 35% v/v Glycerol
30. 0.17 M Ammonium sulfate, 25.5% w/v Polyethylene glycol 8,000, 15% v/v Glycerol
31. 0.17 M Ammonium sulfate, 25.5% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
32. 1.5 M Ammonium sulfate, 25% v/v Glycerol
33. 3.6 M Sodium formate, 10% v/v Glycerol
34. 0.07 M Sodium acetate trihydrate pH 4.6, 1.4 M Sodium formate, 30% v/v Glycerol
35. 0.075 M HEPES sodium pH 7.5, 0.6 M Sodium phosphate monobasic monohydrate, 0.6 M Potassium phosphate monobasic, 25% v/v Glycerol
36. 0.065 M TRIS hydrochloride pH 8.5, 5.2% w/v Polyethylene glycol 8,000, 35% v/v Glycerol
37. 0.07 M Sodium acetate trihydrate pH 4.6, 5.6% w/v Polyethylene glycol 4,000, 30% v/v Glycerol
38. 0.09 M HEPES sodium pH 7.5, 1.26 M Sodium citrate tribasic dihydrate, 10% v/v Glycerol
39. 0.085 M HEPES sodium pH 7.5, 1.7% v/v Polyethylene glycol 400, 1.7 M Ammonium sulfate, 15% v/v Glycerol
40. 0.095 M Sodium citrate tribasic dihydrate pH 5.6, 19% v/v 2-Propanol, 19% w/v Polyethylene glycol 4,000, 5% v/v Glycerol
41. 0.085 M HEPES sodium pH 7.5, 8.5% v/v 2-Propanol, 17% w/v Polyethylene glycol 4,000, 15% v/v Glycerol
42. 0.04 M Potassium phosphate monobasic, 16% w/v Polyethylene glycol 8,000, 20% v/v Glycerol
43. 24% w/v Polyethylene glycol 1,500, 20% v/v Glycerol
44. 0.1 M Magnesium formate dihydrate, 50% v/v Glycerol
45. 0.16 M Zinc acetate dihydrate, 0.08 M Sodium cacodylate trihydrate pH 6.5, 14.4% w/v Polyethylene glycol 8,000, 20% v/v Glycerol
46. 0.16 M Calcium acetate hydrate, 0.08 M Sodium cacodylate trihydrate pH 6.5, 14.4% w/v Polyethylene glycol 8,000, 20% v/v Glycerol
47. 0.08 M Sodium acetate trihydrate pH 4.6, 1.6 M Ammonium sulfate, 20% v/v Glycerol
48. 0.08 M TRIS hydrochloride pH 8.5, 1.6 M Ammonium phosphate monobasic, 20% v/v Glycerol
49. 0.8 M Lithium sulfate monohydrate, 1.6% w/v Polyethylene glycol 8,000, 20% v/v Glycerol
50. 0.4 M Lithium sulfate monohydrate, 12% w/v Polyethylene glycol 8,000, 20% v/v Glycerol

Date: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_